BUILT TO FLOW. BUILT TO LAST.

CHANPOLYPLAST

Product Catalogue

Complete product reference: every product, every size, every product code.

FOUR WATER SYSTEMS, ONE SOURCE

CPVC Plumbing System	1/2" to 2" (15 mm to 50 mm)
UPVC Plumbing System	1/2" to 2" (15 mm to 50 mm)
SWR Drainage System	40 mm to 160 mm
Agriculture Plumbing System	40 mm to 160 mm · 4 kg/cm² and 6 kg/cm²

Edition October 2026

chanpolyplast.com

PRODUCT CATALOGUE

Contents

The four systems in order, with the product families inside each one and the page each family starts on.

Every product below is listed with its governing standard, its Chanpolyplast code prefix and a full size table. No prices appear in this catalogue.

CPVC Plumbing System 3

- Pipes 4
- Fittings 4
- Brass Insert Fittings 8
- Valves 9
- Accessories 9

UPVC Plumbing System 11

- Pipes 12
- Fittings 12
- Brass Insert Fittings 16
- Valves 17
- Accessories 17

SWR Drainage System 19

- Pipes 20
- Fittings 21
- Traps 23
- Accessories 24

Agriculture Plumbing System 26

- Pipes 27
- Fittings 27
- Accessories 29

CPVC

CPVC Plumbing System

ASTM D-2846 · SDR 11 / SDR 13.5 · CTS

CPVC pipes and fittings for hot and cold potable water, made to ASTM D-2846 in copper tube size, for residential, commercial and public projects.

Size range

1/2" to 2" (15 mm to 50 mm)



CPVC brass M.T.A.



CPVC brass tee



CPVC coupler

Product families in this system

Family	Products	Size rows
Pipes	2	24
Fittings	18	97
Brass Insert Fittings	6	38
Valves	3	18
Accessories	3	19

Applications

Hot and cold water · Residential plumbing · Commercial buildings · Low-rise buildings · Gas and solar heater lines

Standard pack and quantity per box are the current packing configuration and can be adjusted against a confirmed order.

Pipes

Pressure and drainage pipe across every size and length the system carries.

CPVC Pipe SDR 11 Class 1

Standard ASTM D-2846 · Code prefix CP-CPVC-P11 · 12 size rows

Size (in)	Size (mm)	Length	Std. pack	Product code
1/2"	15 mm	3 m	20	**CP-CPVC-P11-15-3M**
1/2"	15 mm	5 m	20	**CP-CPVC-P11-15-5M**
3/4"	20 mm	3 m	20	**CP-CPVC-P11-20-3M**
3/4"	20 mm	5 m	20	**CP-CPVC-P11-20-5M**
1"	25 mm	3 m	10	**CP-CPVC-P11-25-3M**
1"	25 mm	5 m	10	**CP-CPVC-P11-25-5M**
1 1/4"	32 mm	3 m	10	**CP-CPVC-P11-32-3M**
1 1/4"	32 mm	5 m	10	**CP-CPVC-P11-32-5M**
1 1/2"	40 mm	3 m	5	**CP-CPVC-P11-40-3M**
1 1/2"	40 mm	5 m	5	**CP-CPVC-P11-40-5M**
2"	50 mm	3 m	5	**CP-CPVC-P11-50-3M**
2"	50 mm	5 m	5	**CP-CPVC-P11-50-5M**

CPVC Pipe SDR 13.5 Class 2

Standard ASTM D-2846 · Code prefix CP-CPVC-P135 · 12 size rows

Size (in)	Size (mm)	Length	Std. pack	Product code
1/2"	15 mm	3 m	20	**CP-CPVC-P135-15-3M**
1/2"	15 mm	5 m	20	**CP-CPVC-P135-15-5M**
3/4"	20 mm	3 m	20	**CP-CPVC-P135-20-3M**
3/4"	20 mm	5 m	20	**CP-CPVC-P135-20-5M**
1"	25 mm	3 m	10	**CP-CPVC-P135-25-3M**
1"	25 mm	5 m	10	**CP-CPVC-P135-25-5M**
1 1/4"	32 mm	3 m	10	**CP-CPVC-P135-32-3M**
1 1/4"	32 mm	5 m	10	**CP-CPVC-P135-32-5M**
1 1/2"	40 mm	3 m	5	**CP-CPVC-P135-40-3M**
1 1/2"	40 mm	5 m	5	**CP-CPVC-P135-40-5M**
2"	50 mm	3 m	5	**CP-CPVC-P135-50-3M**
2"	50 mm	5 m	5	**CP-CPVC-P135-50-5M**

Fittings

Elbows, tees, couplers, bends, reducers and caps for the solvent weld range.

CPVC Elbow 90°

Standard ASTM D-2846 · Code prefix CP-CPVC-ELB90 · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	500	**CP-CPVC-ELB90-15**
3/4"	20 mm	25	400	**CP-CPVC-ELB90-20**
1"	25 mm	10	200	**CP-CPVC-ELB90-25**
1 1/4"	32 mm	5	100	**CP-CPVC-ELB90-32**
1 1/2"	40 mm	5	60	**CP-CPVC-ELB90-40**
2"	50 mm	5	30	**CP-CPVC-ELB90-50**

CPVC Elbow 45°

Standard ASTM D-2846 · Code prefix CP-CPVC-ELB45 · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	500	**CP-CPVC-ELB45-15**
3/4"	20 mm	25	400	**CP-CPVC-ELB45-20**
1"	25 mm	10	200	**CP-CPVC-ELB45-25**
1 1/4"	32 mm	5	100	**CP-CPVC-ELB45-32**
1 1/2"	40 mm	5	60	**CP-CPVC-ELB45-40**
2"	50 mm	5	30	**CP-CPVC-ELB45-50**

Fittings (continued)

Elbows, tees, couplers, bends, reducers and caps for the solvent weld range.

CPVC Tee

Standard ASTM D-2846 · Code prefix CP-CPVC-TEE · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	20	400	**CP-CPVC-TEE-15**
3/4"	20 mm	20	300	**CP-CPVC-TEE-20**
1"	25 mm	10	150	**CP-CPVC-TEE-25**
1 1/4"	32 mm	5	80	**CP-CPVC-TEE-32**
1 1/2"	40 mm	5	50	**CP-CPVC-TEE-40**
2"	50 mm	5	25	**CP-CPVC-TEE-50**

CPVC F.T.A.

Standard ASTM D-2846 · Code prefix CP-CPVC-FTA · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	750	**CP-CPVC-FTA-15**
3/4"	20 mm	25	500	**CP-CPVC-FTA-20**
1"	25 mm	20	300	**CP-CPVC-FTA-25**
1 1/4"	32 mm	10	150	**CP-CPVC-FTA-32**
1 1/2"	40 mm	5	100	**CP-CPVC-FTA-40**
2"	50 mm	5	50	**CP-CPVC-FTA-50**

CPVC M.T.A.

Standard ASTM D-2846 · Code prefix CP-CPVC-MTA · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	750	**CP-CPVC-MTA-15**
3/4"	20 mm	25	500	**CP-CPVC-MTA-20**
1"	25 mm	20	300	**CP-CPVC-MTA-25**
1 1/4"	32 mm	10	150	**CP-CPVC-MTA-32**
1 1/2"	40 mm	5	100	**CP-CPVC-MTA-40**
2"	50 mm	5	50	**CP-CPVC-MTA-50**

CPVC Coupler

Standard ASTM D-2846 · Code prefix CP-CPVC-CPL · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	750	**CP-CPVC-CPL-15**
3/4"	20 mm	25	500	**CP-CPVC-CPL-20**
1"	25 mm	20	300	**CP-CPVC-CPL-25**
1 1/4"	32 mm	10	150	**CP-CPVC-CPL-32**
1 1/2"	40 mm	5	100	**CP-CPVC-CPL-40**
2"	50 mm	5	50	**CP-CPVC-CPL-50**

CPVC Union

Standard ASTM D-2846 · Code prefix CP-CPVC-UNI · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	10	100	**CP-CPVC-UNI-15**
3/4"	20 mm	10	80	**CP-CPVC-UNI-20**
1"	25 mm	5	50	**CP-CPVC-UNI-25**
1 1/4"	32 mm	5	30	**CP-CPVC-UNI-32**
1 1/2"	40 mm	2	20	**CP-CPVC-UNI-40**
2"	50 mm	1	10	**CP-CPVC-UNI-50**

Fittings (continued)
Elbows, tees, couplers, bends, reducers and caps for the solvent weld range.

CPVC End Cap
Standard ASTM D-2846 · Code prefix CP-CPVC-ECAP · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	750	**CP-CPVC-ECAP-15**
3/4"	20 mm	25	500	**CP-CPVC-ECAP-20**
1"	25 mm	20	300	**CP-CPVC-ECAP-25**
1 1/4"	32 mm	10	150	**CP-CPVC-ECAP-32**
1 1/2"	40 mm	5	100	**CP-CPVC-ECAP-40**
2"	50 mm	5	50	**CP-CPVC-ECAP-50**

CPVC Reducing Elbow 90°
Standard ASTM D-2846 · Code prefix CP-CPVC-RELB · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
3/4" x 1/2"	20 x 15 mm	25	750	**CP-CPVC-RELB-20X15**
1" x 1/2"	25 x 15 mm	25	750	**CP-CPVC-RELB-25X15**
1" x 3/4"	25 x 20 mm	25	500	**CP-CPVC-RELB-25X20**
1 1/4" x 1"	32 x 25 mm	20	300	**CP-CPVC-RELB-32X25**
1 1/2" x 1 1/4"	40 x 32 mm	10	150	**CP-CPVC-RELB-40X32**
2" x 1 1/2"	50 x 40 mm	5	100	**CP-CPVC-RELB-50X40**

CPVC Reducing Tee
Standard ASTM D-2846 · Code prefix CP-CPVC-RTEE · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
3/4" x 1/2"	20 x 15 mm	25	750	**CP-CPVC-RTEE-20X15**
1" x 1/2"	25 x 15 mm	25	750	**CP-CPVC-RTEE-25X15**
1" x 3/4"	25 x 20 mm	25	500	**CP-CPVC-RTEE-25X20**
1 1/4" x 1"	32 x 25 mm	20	300	**CP-CPVC-RTEE-32X25**
1 1/2" x 1 1/4"	40 x 32 mm	10	150	**CP-CPVC-RTEE-40X32**
2" x 1 1/2"	50 x 40 mm	5	100	**CP-CPVC-RTEE-50X40**

CPVC Reducer Bushing
Standard ASTM D-2846 · Code prefix CP-CPVC-RBSH · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
3/4" x 1/2"	20 x 15 mm	25	750	**CP-CPVC-RBSH-20X15**
1" x 1/2"	25 x 15 mm	25	750	**CP-CPVC-RBSH-25X15**
1" x 3/4"	25 x 20 mm	25	500	**CP-CPVC-RBSH-25X20**
1 1/4" x 1"	32 x 25 mm	20	300	**CP-CPVC-RBSH-32X25**
1 1/2" x 1 1/4"	40 x 32 mm	10	150	**CP-CPVC-RBSH-40X32**
2" x 1 1/2"	50 x 40 mm	5	100	**CP-CPVC-RBSH-50X40**

CPVC Reducer Coupler
Standard ASTM D-2846 · Code prefix CP-CPVC-RCPL · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
3/4" x 1/2"	20 x 15 mm	25	750	**CP-CPVC-RCPL-20X15**
1" x 1/2"	25 x 15 mm	25	750	**CP-CPVC-RCPL-25X15**
1" x 3/4"	25 x 20 mm	25	500	**CP-CPVC-RCPL-25X20**
1 1/4" x 1"	32 x 25 mm	20	300	**CP-CPVC-RCPL-32X25**
1 1/2" x 1 1/4"	40 x 32 mm	10	150	**CP-CPVC-RCPL-40X32**
2" x 1 1/2"	50 x 40 mm	5	100	**CP-CPVC-RCPL-50X40**

Fittings (continued)

Elbows, tees, couplers, bends, reducers and caps for the solvent weld range.

CPVC Transaction Bush

Standard ASTM D-2846 · Code prefix CP-CPVC-TBSH · 3 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	750	**CP-CPVC-TBSH-15**
3/4"	20 mm	25	500	**CP-CPVC-TBSH-20**
1"	25 mm	20	300	**CP-CPVC-TBSH-25**

CPVC Cross Tee

Standard ASTM D-2846 · Code prefix CP-CPVC-XTEE · 3 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	750	**CP-CPVC-XTEE-15**
3/4"	20 mm	25	500	**CP-CPVC-XTEE-20**
1"	25 mm	20	300	**CP-CPVC-XTEE-25**

CPVC Step Over Bend

Standard ASTM D-2846 · Code prefix CP-CPVC-SOB · 3 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	750	**CP-CPVC-SOB-15**
3/4"	20 mm	25	500	**CP-CPVC-SOB-20**
1"	25 mm	20	300	**CP-CPVC-SOB-25**

CPVC Tank Nipple

Standard ASTM D-2846 · Code prefix CP-CPVC-TNIP · 8 size rows

Size (in)	Size (mm)	Type	Std. pack	Qty/box	Product code
1/2"	15 mm	Socket	25	750	**CP-CPVC-TNIP-15-S**
3/4"	20 mm	Socket	25	500	**CP-CPVC-TNIP-20-S**
1"	25 mm	Socket	20	300	**CP-CPVC-TNIP-25-S**
3/4"	20 mm	Plain	25	500	**CP-CPVC-TNIP-20-P**
1"	25 mm	Plain	20	300	**CP-CPVC-TNIP-25-P**
1 1/4"	32 mm	Plain	10	150	**CP-CPVC-TNIP-32-P**
1 1/2"	40 mm	Plain	5	100	**CP-CPVC-TNIP-40-P**
2"	50 mm	Plain	5	50	**CP-CPVC-TNIP-50-P**

CPVC Long Bend 90°

Standard ASTM D-2846 · Code prefix CP-CPVC-LB90 · 5 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	500	**CP-CPVC-LB90-15**
3/4"	20 mm	25	400	**CP-CPVC-LB90-20**
1"	25 mm	10	200	**CP-CPVC-LB90-25**
1 1/4"	32 mm	5	100	**CP-CPVC-LB90-32**
1 1/2"	40 mm	5	60	**CP-CPVC-LB90-40**

CPVC Long Plug

Standard ASTM D-2846 · Code prefix CP-CPVC-LPLG · 3 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	750	**CP-CPVC-LPLG-15**
3/4"	20 mm	25	500	**CP-CPVC-LPLG-20**
1"	25 mm	20	300	**CP-CPVC-LPLG-25**

Brass Insert Fittings

Threaded brass inserts moulded into the fitting for connections to metal.

CPVC Brass Elbow 90°

Standard ASTM D-2846 · Code prefix CP-CPVC-BELB · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	20	200	**CP-CPVC-BELB-15**
3/4"	20 mm	20	160	**CP-CPVC-BELB-20**
1"	25 mm	10	100	**CP-CPVC-BELB-25**
3/4" x 1/2"	20 x 15 mm	20	200	**CP-CPVC-BELB-20X15**
1" x 1/2"	25 x 15 mm	20	200	**CP-CPVC-BELB-25X15**
1" x 3/4"	25 x 20 mm	20	160	**CP-CPVC-BELB-25X20**

CPVC Brass Tee

Standard ASTM D-2846 · Code prefix CP-CPVC-BTEE · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	20	200	**CP-CPVC-BTEE-15**
3/4"	20 mm	20	160	**CP-CPVC-BTEE-20**
1"	25 mm	10	100	**CP-CPVC-BTEE-25**
3/4" x 1/2"	20 x 15 mm	20	200	**CP-CPVC-BTEE-20X15**
1" x 1/2"	25 x 15 mm	20	200	**CP-CPVC-BTEE-25X15**
1" x 3/4"	25 x 20 mm	20	160	**CP-CPVC-BTEE-25X20**

CPVC Brass F.T.A.

Standard ASTM D-2846 · Code prefix CP-CPVC-BFTA · 8 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	20	200	**CP-CPVC-BFTA-15**
3/4"	20 mm	20	160	**CP-CPVC-BFTA-20**
1"	25 mm	10	100	**CP-CPVC-BFTA-25**
1 1/4"	32 mm	5	50	**CP-CPVC-BFTA-32**
1 1/2"	40 mm	5	30	**CP-CPVC-BFTA-40**
2"	50 mm	2	20	**CP-CPVC-BFTA-50**
3/4" x 1/2"	20 x 15 mm	20	200	**CP-CPVC-BFTA-20X15**
1" x 3/4"	25 x 20 mm	20	160	**CP-CPVC-BFTA-25X20**

CPVC Brass M.T.A.

Standard ASTM D-2846 · Code prefix CP-CPVC-BMTA · 8 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	20	200	**CP-CPVC-BMTA-15**
3/4"	20 mm	20	160	**CP-CPVC-BMTA-20**
1"	25 mm	10	100	**CP-CPVC-BMTA-25**
1 1/4"	32 mm	5	50	**CP-CPVC-BMTA-32**
1 1/2"	40 mm	5	30	**CP-CPVC-BMTA-40**
2"	50 mm	2	20	**CP-CPVC-BMTA-50**
3/4" x 1/2"	20 x 15 mm	20	200	**CP-CPVC-BMTA-20X15**
1" x 3/4"	25 x 20 mm	20	160	**CP-CPVC-BMTA-25X20**

CPVC Brass Hex F.T.A.

Standard ASTM D-2846 · Code prefix CP-CPVC-BHFTA · 5 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	20	200	**CP-CPVC-BHFTA-15**
3/4"	20 mm	20	160	**CP-CPVC-BHFTA-20**
1"	25 mm	10	100	**CP-CPVC-BHFTA-25**
3/4" x 1/2"	20 x 15 mm	20	200	**CP-CPVC-BHFTA-20X15**
1" x 3/4"	25 x 20 mm	20	160	**CP-CPVC-BHFTA-25X20**

Brass Insert Fittings (continued)

Threaded brass inserts moulded into the fitting for connections to metal.

CPVC Brass Hex M.T.A.

Standard ASTM D-2846 · Code prefix CP-CPVC-BHMTA · 5 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	20	200	**CP-CPVC-BHMTA-15**
3/4"	20 mm	20	160	**CP-CPVC-BHMTA-20**
1"	25 mm	10	100	**CP-CPVC-BHMTA-25**
3/4" x 1/2"	20 x 15 mm	20	200	**CP-CPVC-BHMTA-20X15**
1" x 3/4"	25 x 20 mm	20	160	**CP-CPVC-BHMTA-25X20**

Valves

Ball valves, concealed valves and non return valves in the same size range.

CPVC Ball Valve

Standard ASTM D-2846 · Code prefix CP-CPVC-BVLV · 9 size rows

Size (in)	Size (mm)	Handle	Std. pack	Qty/box	Product code
1/2"	15 mm	-	10	100	**CP-CPVC-BVLV-15**
3/4"	20 mm	-	10	80	**CP-CPVC-BVLV-20**
1"	25 mm	-	5	50	**CP-CPVC-BVLV-25**
1 1/4"	32 mm	-	5	30	**CP-CPVC-BVLV-32**
1 1/2"	40 mm	-	2	20	**CP-CPVC-BVLV-40**
2"	50 mm	-	1	10	**CP-CPVC-BVLV-50**
1/2"	15 mm	Long	10	100	**CP-CPVC-BVLV-15-LH**
3/4"	20 mm	Long	10	80	**CP-CPVC-BVLV-20-LH**
1"	25 mm	Long	5	50	**CP-CPVC-BVLV-25-LH**

CPVC Concealed Valve

Standard ASTM D-2846 · Code prefix CP-CPVC-CVLV · 3 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	10	100	**CP-CPVC-CVLV-15**
3/4"	20 mm	10	80	**CP-CPVC-CVLV-20**
1"	25 mm	5	50	**CP-CPVC-CVLV-25**

CPVC Non Return Valve

Standard ASTM D-2846 · Code prefix CP-CPVC-NRV · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	10	100	**CP-CPVC-NRV-15**
3/4"	20 mm	10	80	**CP-CPVC-NRV-20**
1"	25 mm	5	50	**CP-CPVC-NRV-25**
1 1/4"	32 mm	5	30	**CP-CPVC-NRV-32**
1 1/2"	40 mm	2	20	**CP-CPVC-NRV-40**
2"	50 mm	1	10	**CP-CPVC-NRV-50**

Accessories

Clamps, solvent cements, lubricant and the parts that finish an installation.

CPVC 3-in-1 Mixer

Standard not applicable · Code prefix CP-CPVC-MIX3 · 2 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	10	100	**CP-CPVC-MIX3-15**
3/4"	20 mm	10	80	**CP-CPVC-MIX3-20**

Accessories (continued)

Clamps, solvent cements, lubricant and the parts that finish an installation.

CPVC Pipe Clamp

Standard not applicable · Code prefix CP-CPVC-CLMP · 12 size rows

Size (in)	Size (mm)	Type	Std. pack	Qty/box	Product code
1/2"	15 mm	Nail	50	1000	**CP-CPVC-CLMP-15-N**
3/4"	20 mm	Nail	50	800	**CP-CPVC-CLMP-20-N**
1"	25 mm	Nail	25	500	**CP-CPVC-CLMP-25-N**
1 1/4"	32 mm	Nail	25	400	**CP-CPVC-CLMP-32-N**
1 1/2"	40 mm	Nail	20	200	**CP-CPVC-CLMP-40-N**
2"	50 mm	Nail	10	100	**CP-CPVC-CLMP-50-N**
1/2"	15 mm	Metal	50	1000	**CP-CPVC-CLMP-15-M**
3/4"	20 mm	Metal	50	800	**CP-CPVC-CLMP-20-M**
1"	25 mm	Metal	25	500	**CP-CPVC-CLMP-25-M**
1 1/4"	32 mm	Metal	25	400	**CP-CPVC-CLMP-32-M**
1 1/2"	40 mm	Metal	20	200	**CP-CPVC-CLMP-40-M**
2"	50 mm	Metal	10	100	**CP-CPVC-CLMP-50-M**

CPVC Solvent Cement

Standard not applicable · Code prefix CP-CPVC-SCEM · 5 size rows

Size	Std. pack	Qty/box	Product code
59 ml	1	100	**CP-CPVC-SCEM-59ML**
118 ml	1	48	**CP-CPVC-SCEM-118ML**
237 ml	1	24	**CP-CPVC-SCEM-237ML**
473 ml	1	12	**CP-CPVC-SCEM-473ML**
946 ml	1	6	**CP-CPVC-SCEM-946ML**

UPVC

UPVC Plumbing System

ASTM D-1785 (SCH-40 / SCH-80) · ASTM D-2467

UPVC pipes to ASTM D-1785 and fittings to ASTM D-2467, for cold water plumbing, swimming pools, aggressive fluid transport and water distribution mains.

Size range

1/2" to 2" (15 mm to 50 mm)



UPVC ball valve



UPVC union



UPVC elbow 45

Product families in this system

Family	Products	Size rows
Pipes	2	24
Fittings	18	100
Brass Insert Fittings	4	28
Valves	3	18
Accessories	2	17

Applications

Residential plumbing · Swimming pools · Corrosive fluid transport · Water distribution mains · Industrial process lines

Standard pack and quantity per box are the current packing configuration and can be adjusted against a confirmed order.

Pipes

Pressure and drainage pipe across every size and length the system carries.

UPVC Pipe SCH-40

Standard ASTM D-1785 · Code prefix CP-UPVC-P40 · 12 size rows

Size (in)	Size (mm)	Length	Std. pack	Product code
1/2"	15 mm	3 m	20	**CP-UPVC-P40-15-3M**
1/2"	15 mm	6 m	20	**CP-UPVC-P40-15-6M**
3/4"	20 mm	3 m	20	**CP-UPVC-P40-20-3M**
3/4"	20 mm	6 m	20	**CP-UPVC-P40-20-6M**
1"	25 mm	3 m	10	**CP-UPVC-P40-25-3M**
1"	25 mm	6 m	10	**CP-UPVC-P40-25-6M**
1 1/4"	32 mm	3 m	10	**CP-UPVC-P40-32-3M**
1 1/4"	32 mm	6 m	10	**CP-UPVC-P40-32-6M**
1 1/2"	40 mm	3 m	5	**CP-UPVC-P40-40-3M**
1 1/2"	40 mm	6 m	5	**CP-UPVC-P40-40-6M**
2"	50 mm	3 m	5	**CP-UPVC-P40-50-3M**
2"	50 mm	6 m	5	**CP-UPVC-P40-50-6M**

UPVC Pipe SCH-80

Standard ASTM D-1785 · Code prefix CP-UPVC-P80 · 12 size rows

Size (in)	Size (mm)	Length	Std. pack	Product code
1/2"	15 mm	3 m	20	**CP-UPVC-P80-15-3M**
1/2"	15 mm	6 m	20	**CP-UPVC-P80-15-6M**
3/4"	20 mm	3 m	20	**CP-UPVC-P80-20-3M**
3/4"	20 mm	6 m	20	**CP-UPVC-P80-20-6M**
1"	25 mm	3 m	10	**CP-UPVC-P80-25-3M**
1"	25 mm	6 m	10	**CP-UPVC-P80-25-6M**
1 1/4"	32 mm	3 m	10	**CP-UPVC-P80-32-3M**
1 1/4"	32 mm	6 m	10	**CP-UPVC-P80-32-6M**
1 1/2"	40 mm	3 m	5	**CP-UPVC-P80-40-3M**
1 1/2"	40 mm	6 m	5	**CP-UPVC-P80-40-6M**
2"	50 mm	3 m	5	**CP-UPVC-P80-50-3M**
2"	50 mm	6 m	5	**CP-UPVC-P80-50-6M**

Fittings

Elbows, tees, couplers, bends, reducers and caps for the solvent weld range.

UPVC Elbow 90°

Standard ASTM D-2467 · Code prefix CP-UPVC-ELB90 · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	500	**CP-UPVC-ELB90-15**
3/4"	20 mm	25	400	**CP-UPVC-ELB90-20**
1"	25 mm	10	200	**CP-UPVC-ELB90-25**
1 1/4"	32 mm	5	100	**CP-UPVC-ELB90-32**
1 1/2"	40 mm	5	60	**CP-UPVC-ELB90-40**
2"	50 mm	5	30	**CP-UPVC-ELB90-50**

UPVC Elbow 45°

Standard ASTM D-2467 · Code prefix CP-UPVC-ELB45 · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	500	**CP-UPVC-ELB45-15**
3/4"	20 mm	25	400	**CP-UPVC-ELB45-20**
1"	25 mm	10	200	**CP-UPVC-ELB45-25**
1 1/4"	32 mm	5	100	**CP-UPVC-ELB45-32**
1 1/2"	40 mm	5	60	**CP-UPVC-ELB45-40**
2"	50 mm	5	30	**CP-UPVC-ELB45-50**

Fittings (continued)

Elbows, tees, couplers, bends, reducers and caps for the solvent weld range.

UPVC Tee

Standard ASTM D-2467 · Code prefix CP-UPVC-TEE · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	20	400	**CP-UPVC-TEE-15**
3/4"	20 mm	20	300	**CP-UPVC-TEE-20**
1"	25 mm	10	150	**CP-UPVC-TEE-25**
1 1/4"	32 mm	5	80	**CP-UPVC-TEE-32**
1 1/2"	40 mm	5	50	**CP-UPVC-TEE-40**
2"	50 mm	5	25	**CP-UPVC-TEE-50**

UPVC Coupler

Standard ASTM D-2467 · Code prefix CP-UPVC-CPL · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	750	**CP-UPVC-CPL-15**
3/4"	20 mm	25	500	**CP-UPVC-CPL-20**
1"	25 mm	20	300	**CP-UPVC-CPL-25**
1 1/4"	32 mm	10	150	**CP-UPVC-CPL-32**
1 1/2"	40 mm	5	100	**CP-UPVC-CPL-40**
2"	50 mm	5	50	**CP-UPVC-CPL-50**

UPVC Union

Standard ASTM D-2467 · Code prefix CP-UPVC-UNI · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	10	100	**CP-UPVC-UNI-15**
3/4"	20 mm	10	80	**CP-UPVC-UNI-20**
1"	25 mm	5	50	**CP-UPVC-UNI-25**
1 1/4"	32 mm	5	30	**CP-UPVC-UNI-32**
1 1/2"	40 mm	2	20	**CP-UPVC-UNI-40**
2"	50 mm	1	10	**CP-UPVC-UNI-50**

UPVC F.T.A.

Standard ASTM D-2467 · Code prefix CP-UPVC-FTA · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	750	**CP-UPVC-FTA-15**
3/4"	20 mm	25	500	**CP-UPVC-FTA-20**
1"	25 mm	20	300	**CP-UPVC-FTA-25**
1 1/4"	32 mm	10	150	**CP-UPVC-FTA-32**
1 1/2"	40 mm	5	100	**CP-UPVC-FTA-40**
2"	50 mm	5	50	**CP-UPVC-FTA-50**

UPVC M.T.A.

Standard ASTM D-2467 · Code prefix CP-UPVC-MTA · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	750	**CP-UPVC-MTA-15**
3/4"	20 mm	25	500	**CP-UPVC-MTA-20**
1"	25 mm	20	300	**CP-UPVC-MTA-25**
1 1/4"	32 mm	10	150	**CP-UPVC-MTA-32**
1 1/2"	40 mm	5	100	**CP-UPVC-MTA-40**
2"	50 mm	5	50	**CP-UPVC-MTA-50**

Fittings (continued)

Elbows, tees, couplers, bends, reducers and caps for the solvent weld range.

UPVC End Cap

Standard ASTM D-2467 · Code prefix CP-UPVC-ECAP · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	750	**CP-UPVC-ECAP-15**
3/4"	20 mm	25	500	**CP-UPVC-ECAP-20**
1"	25 mm	20	300	**CP-UPVC-ECAP-25**
1 1/4"	32 mm	10	150	**CP-UPVC-ECAP-32**
1 1/2"	40 mm	5	100	**CP-UPVC-ECAP-40**
2"	50 mm	5	50	**CP-UPVC-ECAP-50**

UPVC Reducer Elbow

Standard ASTM D-2467 · Code prefix CP-UPVC-RELB · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
3/4" x 1/2"	20 x 15 mm	25	750	**CP-UPVC-RELB-20X15**
1" x 1/2"	25 x 15 mm	25	750	**CP-UPVC-RELB-25X15**
1" x 3/4"	25 x 20 mm	25	500	**CP-UPVC-RELB-25X20**
1 1/4" x 1"	32 x 25 mm	20	300	**CP-UPVC-RELB-32X25**
1 1/2" x 1 1/4"	40 x 32 mm	10	150	**CP-UPVC-RELB-40X32**
2" x 1 1/2"	50 x 40 mm	5	100	**CP-UPVC-RELB-50X40**

UPVC Reducer Tee

Standard ASTM D-2467 · Code prefix CP-UPVC-RTEE · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
3/4" x 1/2"	20 x 15 mm	25	750	**CP-UPVC-RTEE-20X15**
1" x 1/2"	25 x 15 mm	25	750	**CP-UPVC-RTEE-25X15**
1" x 3/4"	25 x 20 mm	25	500	**CP-UPVC-RTEE-25X20**
1 1/4" x 1"	32 x 25 mm	20	300	**CP-UPVC-RTEE-32X25**
1 1/2" x 1 1/4"	40 x 32 mm	10	150	**CP-UPVC-RTEE-40X32**
2" x 1 1/2"	50 x 40 mm	5	100	**CP-UPVC-RTEE-50X40**

UPVC Reducer Coupler

Standard ASTM D-2467 · Code prefix CP-UPVC-RCPL · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
3/4" x 1/2"	20 x 15 mm	25	750	**CP-UPVC-RCPL-20X15**
1" x 1/2"	25 x 15 mm	25	750	**CP-UPVC-RCPL-25X15**
1" x 3/4"	25 x 20 mm	25	500	**CP-UPVC-RCPL-25X20**
1 1/4" x 1"	32 x 25 mm	20	300	**CP-UPVC-RCPL-32X25**
1 1/2" x 1 1/4"	40 x 32 mm	10	150	**CP-UPVC-RCPL-40X32**
2" x 1 1/2"	50 x 40 mm	5	100	**CP-UPVC-RCPL-50X40**

UPVC Reducer Bush

Standard ASTM D-2467 · Code prefix CP-UPVC-RBSH · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
3/4" x 1/2"	20 x 15 mm	25	750	**CP-UPVC-RBSH-20X15**
1" x 1/2"	25 x 15 mm	25	750	**CP-UPVC-RBSH-25X15**
1" x 3/4"	25 x 20 mm	25	500	**CP-UPVC-RBSH-25X20**
1 1/4" x 1"	32 x 25 mm	20	300	**CP-UPVC-RBSH-32X25**
1 1/2" x 1 1/4"	40 x 32 mm	10	150	**CP-UPVC-RBSH-40X32**
2" x 1 1/2"	50 x 40 mm	5	100	**CP-UPVC-RBSH-50X40**

Fittings (continued)

Elbows, tees, couplers, bends, reducers and caps for the solvent weld range.

UPVC Cross Tee

Standard ASTM D-2467 · Code prefix CP-UPVC-XTEE · 3 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	750	**CP-UPVC-XTEE-15**
3/4"	20 mm	25	500	**CP-UPVC-XTEE-20**
1"	25 mm	20	300	**CP-UPVC-XTEE-25**

UPVC Step Over Bend

Standard ASTM D-2467 · Code prefix CP-UPVC-SOB · 3 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	750	**CP-UPVC-SOB-15**
3/4"	20 mm	25	500	**CP-UPVC-SOB-20**
1"	25 mm	20	300	**CP-UPVC-SOB-25**

UPVC Tank Nipple

Standard ASTM D-2467 · Code prefix CP-UPVC-TNIP · 11 size rows

Size (in)	Size (mm)	Type	Std. pack	Qty/box	Product code
1/2"	15 mm	Socket	25	750	**CP-UPVC-TNIP-15-S**
3/4"	20 mm	Socket	25	500	**CP-UPVC-TNIP-20-S**
1"	25 mm	Socket	20	300	**CP-UPVC-TNIP-25-S**
1/2"	15 mm	Pipe	25	750	**CP-UPVC-TNIP-15-PT**
3/4"	20 mm	Pipe	25	500	**CP-UPVC-TNIP-20-PT**
1"	25 mm	Pipe	20	300	**CP-UPVC-TNIP-25-PT**
3/4"	20 mm	Plain	25	500	**CP-UPVC-TNIP-20-P**
1"	25 mm	Plain	20	300	**CP-UPVC-TNIP-25-P**
1 1/4"	32 mm	Plain	10	150	**CP-UPVC-TNIP-32-P**
1 1/2"	40 mm	Plain	5	100	**CP-UPVC-TNIP-40-P**
2"	50 mm	Plain	5	50	**CP-UPVC-TNIP-50-P**

UPVC Long Bend 90°

Standard ASTM D-2467 · Code prefix CP-UPVC-LB90 · 5 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	500	**CP-UPVC-LB90-15**
3/4"	20 mm	25	400	**CP-UPVC-LB90-20**
1"	25 mm	10	200	**CP-UPVC-LB90-25**
1 1/4"	32 mm	5	100	**CP-UPVC-LB90-32**
1 1/2"	40 mm	5	60	**CP-UPVC-LB90-40**

UPVC Long Plug

Standard ASTM D-2467 · Code prefix CP-UPVC-LPLG · 3 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	25	750	**CP-UPVC-LPLG-15**
3/4"	20 mm	25	500	**CP-UPVC-LPLG-20**
1"	25 mm	20	300	**CP-UPVC-LPLG-25**

UPVC Brass Bush

Standard ASTM D-2467 · Code prefix CP-UPVC-BBSH · 3 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1" x 1/2"	25 x 15 mm	20	200	**CP-UPVC-BBSH-25X15**
1 1/4" x 3/4"	32 x 20 mm	20	160	**CP-UPVC-BBSH-32X20**
1 1/2" x 1"	40 x 25 mm	10	100	**CP-UPVC-BBSH-40X25**

Brass Insert Fittings

Threaded brass inserts moulded into the fitting for connections to metal.

UPVC Brass Elbow 90°

Standard ASTM D-2467 · Code prefix CP-UPVC-BELB · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	20	200	**CP-UPVC-BELB-15**
3/4"	20 mm	20	160	**CP-UPVC-BELB-20**
1"	25 mm	10	100	**CP-UPVC-BELB-25**
3/4" x 1/2"	20 x 15 mm	20	200	**CP-UPVC-BELB-20X15**
1" x 1/2"	25 x 15 mm	20	200	**CP-UPVC-BELB-25X15**
1" x 3/4"	25 x 20 mm	20	160	**CP-UPVC-BELB-25X20**

UPVC Brass Tee

Standard ASTM D-2467 · Code prefix CP-UPVC-BTEE · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	20	200	**CP-UPVC-BTEE-15**
3/4"	20 mm	20	160	**CP-UPVC-BTEE-20**
1"	25 mm	10	100	**CP-UPVC-BTEE-25**
3/4" x 1/2"	20 x 15 mm	20	200	**CP-UPVC-BTEE-20X15**
1" x 1/2"	25 x 15 mm	20	200	**CP-UPVC-BTEE-25X15**
1" x 3/4"	25 x 20 mm	20	160	**CP-UPVC-BTEE-25X20**

UPVC Brass F.T.A.

Standard ASTM D-2467 · Code prefix CP-UPVC-BFTA · 8 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	20	200	**CP-UPVC-BFTA-15**
3/4"	20 mm	20	160	**CP-UPVC-BFTA-20**
1"	25 mm	10	100	**CP-UPVC-BFTA-25**
1 1/4"	32 mm	5	50	**CP-UPVC-BFTA-32**
1 1/2"	40 mm	5	30	**CP-UPVC-BFTA-40**
2"	50 mm	2	20	**CP-UPVC-BFTA-50**
3/4" x 1/2"	20 x 15 mm	20	200	**CP-UPVC-BFTA-20X15**
1" x 3/4"	25 x 20 mm	20	160	**CP-UPVC-BFTA-25X20**

UPVC Brass M.T.A.

Standard ASTM D-2467 · Code prefix CP-UPVC-BMTA · 8 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	20	200	**CP-UPVC-BMTA-15**
3/4"	20 mm	20	160	**CP-UPVC-BMTA-20**
1"	25 mm	10	100	**CP-UPVC-BMTA-25**
1 1/4"	32 mm	5	50	**CP-UPVC-BMTA-32**
1 1/2"	40 mm	5	30	**CP-UPVC-BMTA-40**
2"	50 mm	2	20	**CP-UPVC-BMTA-50**
3/4" x 1/2"	20 x 15 mm	20	200	**CP-UPVC-BMTA-20X15**
1" x 3/4"	25 x 20 mm	20	160	**CP-UPVC-BMTA-25X20**

Valves

Ball valves, concealed valves and non return valves in the same size range.

UPVC Ball Valve

Standard ASTM D-2467 · Code prefix CP-UPVC-BVLV · 9 size rows

Size (in)	Size (mm)	Handle	Std. pack	Qty/box	Product code
1/2"	15 mm	-	10	100	**CP-UPVC-BVLV-15**
3/4"	20 mm	-	10	80	**CP-UPVC-BVLV-20**
1"	25 mm	-	5	50	**CP-UPVC-BVLV-25**
1 1/4"	32 mm	-	5	30	**CP-UPVC-BVLV-32**
1 1/2"	40 mm	-	2	20	**CP-UPVC-BVLV-40**
2"	50 mm	-	1	10	**CP-UPVC-BVLV-50**
1/2"	15 mm	Long	10	100	**CP-UPVC-BVLV-15-LH**
3/4"	20 mm	Long	10	80	**CP-UPVC-BVLV-20-LH**
1"	25 mm	Long	5	50	**CP-UPVC-BVLV-25-LH**

UPVC Concealed Valve

Standard ASTM D-2467 · Code prefix CP-UPVC-CVLV · 3 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	10	100	**CP-UPVC-CVLV-15**
3/4"	20 mm	10	80	**CP-UPVC-CVLV-20**
1"	25 mm	5	50	**CP-UPVC-CVLV-25**

UPVC Non Return Valve

Standard ASTM D-2467 · Code prefix CP-UPVC-NRV · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1/2"	15 mm	10	100	**CP-UPVC-NRV-15**
3/4"	20 mm	10	80	**CP-UPVC-NRV-20**
1"	25 mm	5	50	**CP-UPVC-NRV-25**
1 1/4"	32 mm	5	30	**CP-UPVC-NRV-32**
1 1/2"	40 mm	2	20	**CP-UPVC-NRV-40**
2"	50 mm	1	10	**CP-UPVC-NRV-50**

Accessories

Clamps, solvent cements, lubricant and the parts that finish an installation.

UPVC Pipe Clamp

Standard not applicable · Code prefix CP-UPVC-CLMP · 12 size rows

Size (in)	Size (mm)	Type	Std. pack	Qty/box	Product code
1/2"	15 mm	Nail	50	1000	**CP-UPVC-CLMP-15-N**
3/4"	20 mm	Nail	50	800	**CP-UPVC-CLMP-20-N**
1"	25 mm	Nail	25	500	**CP-UPVC-CLMP-25-N**
1 1/4"	32 mm	Nail	25	400	**CP-UPVC-CLMP-32-N**
1 1/2"	40 mm	Nail	20	200	**CP-UPVC-CLMP-40-N**
2"	50 mm	Nail	10	100	**CP-UPVC-CLMP-50-N**
1/2"	15 mm	Metal	50	1000	**CP-UPVC-CLMP-15-M**
3/4"	20 mm	Metal	50	800	**CP-UPVC-CLMP-20-M**
1"	25 mm	Metal	25	500	**CP-UPVC-CLMP-25-M**
1 1/4"	32 mm	Metal	25	400	**CP-UPVC-CLMP-32-M**
1 1/2"	40 mm	Metal	20	200	**CP-UPVC-CLMP-40-M**
2"	50 mm	Metal	10	100	**CP-UPVC-CLMP-50-M**

Accessories (continued)

Clamps, solvent cements, lubricant and the parts that finish an installation.

UPVC Solvent Cement

Standard not applicable · Code prefix CP-UPVC-SCEM · 5 size rows

Size	Std. pack	Qty/box	Product code
59 ml	1	100	**CP-UPVC-SCEM-59ML**
118 ml	1	48	**CP-UPVC-SCEM-118ML**
237 ml	1	24	**CP-UPVC-SCEM-237ML**
473 ml	1	12	**CP-UPVC-SCEM-473ML**
946 ml	1	6	**CP-UPVC-SCEM-946ML**

SWR

SWR Drainage System

IS 13592 · IS 14735

Soil, waste and rainwater drainage pipes to IS 13592 and fittings to IS 14735, in self-fit and ring-fit joint systems, for residential, commercial and public buildings.

Size range

40 mm to 160 mm



SWR ring fit single tee



SWR ring fit bend 87.5

Product families in this system

Family	Products	Size rows
Pipes	3	49
Fittings	8	65
Traps	5	17
Accessories	8	26

Applications

Drainage · Residential plumbing · Commercial buildings · Public projects

Standard pack and quantity per box are the current packing configuration and can be adjusted against a confirmed order.

Pipes

Pressure and drainage pipe across every size and length the system carries.

SWR Self Fit Pipe Type A

Standard IS 13592 · Code prefix CP-SWR-SFPA · 14 size rows

Size (mm)	Length	Std. pack	Product code
40 mm	3 m	10	**CP-SWR-SFPA-40-3M**
40 mm	6 m	10	**CP-SWR-SFPA-40-6M**
50 mm	3 m	10	**CP-SWR-SFPA-50-3M**
50 mm	6 m	10	**CP-SWR-SFPA-50-6M**
63 mm	3 m	10	**CP-SWR-SFPA-63-3M**
63 mm	6 m	10	**CP-SWR-SFPA-63-6M**
75 mm	3 m	5	**CP-SWR-SFPA-75-3M**
75 mm	6 m	5	**CP-SWR-SFPA-75-6M**
90 mm	3 m	5	**CP-SWR-SFPA-90-3M**
90 mm	6 m	5	**CP-SWR-SFPA-90-6M**
110 mm	3 m	-	**CP-SWR-SFPA-110-3M**
110 mm	6 m	-	**CP-SWR-SFPA-110-6M**
160 mm	3 m	-	**CP-SWR-SFPA-160-3M**
160 mm	6 m	-	**CP-SWR-SFPA-160-6M**

SWR Self Fit Pipe Type B

Standard IS 13592 · Code prefix CP-SWR-SFPB · 14 size rows

Size (mm)	Length	Std. pack	Product code
40 mm	3 m	10	**CP-SWR-SFPB-40-3M**
40 mm	6 m	10	**CP-SWR-SFPB-40-6M**
50 mm	3 m	10	**CP-SWR-SFPB-50-3M**
50 mm	6 m	10	**CP-SWR-SFPB-50-6M**
63 mm	3 m	10	**CP-SWR-SFPB-63-3M**
63 mm	6 m	10	**CP-SWR-SFPB-63-6M**
75 mm	3 m	5	**CP-SWR-SFPB-75-3M**
75 mm	6 m	5	**CP-SWR-SFPB-75-6M**
90 mm	3 m	5	**CP-SWR-SFPB-90-3M**
90 mm	6 m	5	**CP-SWR-SFPB-90-6M**
110 mm	3 m	-	**CP-SWR-SFPB-110-3M**
110 mm	6 m	-	**CP-SWR-SFPB-110-6M**
160 mm	3 m	-	**CP-SWR-SFPB-160-3M**
160 mm	6 m	-	**CP-SWR-SFPB-160-6M**

Pipes (continued)

Pressure and drainage pipe across every size and length the system carries.

SWR Ring Fit Pipe

Standard IS 13592 · Code prefix CP-SWR-RFP · 21 size rows

Size (mm)	Type	Socket	Length	Std. pack	Product code
75 mm	A	Single	3 m	5	**CP-SWR-RFP-75-A-SS-3M**
75 mm	A	Double	3 m	5	**CP-SWR-RFP-75-A-DS-3M**
75 mm	A	Double	1.8 m	5	**CP-SWR-RFP-75-A-DS-1M8**
75 mm	A	Double	1.2 m	5	**CP-SWR-RFP-75-A-DS-1M2**
75 mm	A	Double	0.9 m	5	**CP-SWR-RFP-75-A-DS-0M9**
75 mm	A	Double	0.6 m	5	**CP-SWR-RFP-75-A-DS-0M6**
75 mm	B	Single	3 m	5	**CP-SWR-RFP-75-B-SS-3M**
90 mm	A	Single	3 m	5	**CP-SWR-RFP-90-A-SS-3M**
90 mm	A	Double	3 m	5	**CP-SWR-RFP-90-A-DS-3M**
90 mm	A	Double	1.8 m	5	**CP-SWR-RFP-90-A-DS-1M8**
90 mm	A	Double	1.2 m	5	**CP-SWR-RFP-90-A-DS-1M2**
90 mm	A	Double	0.9 m	5	**CP-SWR-RFP-90-A-DS-0M9**
90 mm	A	Double	0.6 m	5	**CP-SWR-RFP-90-A-DS-0M6**
90 mm	B	Single	3 m	5	**CP-SWR-RFP-90-B-SS-3M**
110 mm	A	Single	3 m	-	**CP-SWR-RFP-110-A-SS-3M**
110 mm	A	Double	3 m	-	**CP-SWR-RFP-110-A-DS-3M**
110 mm	A	Double	1.8 m	-	**CP-SWR-RFP-110-A-DS-1M8**
110 mm	A	Double	1.2 m	-	**CP-SWR-RFP-110-A-DS-1M2**
110 mm	A	Double	0.9 m	-	**CP-SWR-RFP-110-A-DS-0M9**
110 mm	A	Double	0.6 m	-	**CP-SWR-RFP-110-A-DS-0M6**
110 mm	B	Single	3 m	-	**CP-SWR-RFP-110-B-SS-3M**

Fittings

Elbows, tees, couplers, bends, reducers and caps for the solvent weld range.

SWR Bend 87.5°

Standard IS 14735 · Code prefix CP-SWR-B875 · 10 size rows

Size (mm)	Joint	Door	Std. pack	Qty/box	Product code
75 mm	Self Fit	-	5	50	**CP-SWR-B875-75-SF**
75 mm	Self Fit	With door	5	40	**CP-SWR-B875-75-SF-D**
110 mm	Self Fit	-	5	25	**CP-SWR-B875-110-SF**
110 mm	Self Fit	With door	4	20	**CP-SWR-B875-110-SF-D**
75 mm	Ring Fit	-	5	50	**CP-SWR-B875-75-RF**
75 mm	Ring Fit	With door	5	40	**CP-SWR-B875-75-RF-D**
90 mm	Ring Fit	-	4	40	**CP-SWR-B875-90-RF**
90 mm	Ring Fit	With door	4	32	**CP-SWR-B875-90-RF-D**
110 mm	Ring Fit	-	5	25	**CP-SWR-B875-110-RF**
110 mm	Ring Fit	With door	4	20	**CP-SWR-B875-110-RF-D**

Fittings (continued)

Elbows, tees, couplers, bends, reducers and caps for the solvent weld range.

SWR Bend 45°

Standard IS 14735 · Code prefix CP-SWR-B45 · 10 size rows

Size (mm)	Joint	Door	Std. pack	Qty/box	Product code
75 mm	Self Fit	-	5	50	**CP-SWR-B45-75-SF**
75 mm	Self Fit	With door	5	40	**CP-SWR-B45-75-SF-D**
110 mm	Self Fit	-	5	25	**CP-SWR-B45-110-SF**
110 mm	Self Fit	With door	4	20	**CP-SWR-B45-110-SF-D**
75 mm	Ring Fit	-	5	50	**CP-SWR-B45-75-RF**
75 mm	Ring Fit	With door	5	40	**CP-SWR-B45-75-RF-D**
90 mm	Ring Fit	-	4	40	**CP-SWR-B45-90-RF**
90 mm	Ring Fit	With door	4	32	**CP-SWR-B45-90-RF-D**
110 mm	Ring Fit	-	5	25	**CP-SWR-B45-110-RF**
110 mm	Ring Fit	With door	4	20	**CP-SWR-B45-110-RF-D**

SWR Single Tee

Standard IS 14735 · Code prefix CP-SWR-STEE · 10 size rows

Size (mm)	Joint	Door	Std. pack	Qty/box	Product code
75 mm	Self Fit	-	5	50	**CP-SWR-STEE-75-SF**
75 mm	Self Fit	With door	5	40	**CP-SWR-STEE-75-SF-D**
110 mm	Self Fit	-	5	25	**CP-SWR-STEE-110-SF**
110 mm	Self Fit	With door	4	20	**CP-SWR-STEE-110-SF-D**
75 mm	Ring Fit	-	5	50	**CP-SWR-STEE-75-RF**
75 mm	Ring Fit	With door	5	40	**CP-SWR-STEE-75-RF-D**
90 mm	Ring Fit	-	4	40	**CP-SWR-STEE-90-RF**
90 mm	Ring Fit	With door	4	32	**CP-SWR-STEE-90-RF-D**
110 mm	Ring Fit	-	5	25	**CP-SWR-STEE-110-RF**
110 mm	Ring Fit	With door	4	20	**CP-SWR-STEE-110-RF-D**

SWR Double Tee

Standard IS 14735 · Code prefix CP-SWR-DTEE · 10 size rows

Size (mm)	Joint	Door	Std. pack	Qty/box	Product code
75 mm	Self Fit	-	5	50	**CP-SWR-DTEE-75-SF**
75 mm	Self Fit	With door	5	40	**CP-SWR-DTEE-75-SF-D**
110 mm	Self Fit	-	5	25	**CP-SWR-DTEE-110-SF**
110 mm	Self Fit	With door	4	20	**CP-SWR-DTEE-110-SF-D**
75 mm	Ring Fit	-	5	50	**CP-SWR-DTEE-75-RF**
75 mm	Ring Fit	With door	5	40	**CP-SWR-DTEE-75-RF-D**
90 mm	Ring Fit	-	4	40	**CP-SWR-DTEE-90-RF**
90 mm	Ring Fit	With door	4	32	**CP-SWR-DTEE-90-RF-D**
110 mm	Ring Fit	-	5	25	**CP-SWR-DTEE-110-RF**
110 mm	Ring Fit	With door	4	20	**CP-SWR-DTEE-110-RF-D**

Fittings (continued)
Elbows, tees, couplers, bends, reducers and caps for the solvent weld range.

SWR Single Y
Standard IS 14735 · Code prefix CP-SWR-SY · 10 size rows

Size (mm)	Joint	Door	Std. pack	Qty/box	Product code
75 mm	Self Fit	-	5	50	**CP-SWR-SY-75-SF**
75 mm	Self Fit	With door	5	40	**CP-SWR-SY-75-SF-D**
110 mm	Self Fit	-	5	25	**CP-SWR-SY-110-SF**
110 mm	Self Fit	With door	4	20	**CP-SWR-SY-110-SF-D**
75 mm	Ring Fit	-	5	50	**CP-SWR-SY-75-RF**
75 mm	Ring Fit	With door	5	40	**CP-SWR-SY-75-RF-D**
90 mm	Ring Fit	-	4	40	**CP-SWR-SY-90-RF**
90 mm	Ring Fit	With door	4	32	**CP-SWR-SY-90-RF-D**
110 mm	Ring Fit	-	5	25	**CP-SWR-SY-110-RF**
110 mm	Ring Fit	With door	4	20	**CP-SWR-SY-110-RF-D**

SWR Reducing Tee
Standard IS 14735 · Code prefix CP-SWR-RTEE · 6 size rows

Size (mm)	Joint	Door	Std. pack	Qty/box	Product code
110 x 75 mm	Self Fit	-	5	25	**CP-SWR-RTEE-110X75-SF**
110 x 75 mm	Self Fit	With door	4	20	**CP-SWR-RTEE-110X75-SF-D**
110 x 75 mm	Ring Fit	-	5	25	**CP-SWR-RTEE-110X75-RF**
110 x 75 mm	Ring Fit	With door	4	20	**CP-SWR-RTEE-110X75-RF-D**
110 x 90 mm	Ring Fit	-	5	25	**CP-SWR-RTEE-110X90-RF**
110 x 90 mm	Ring Fit	With door	4	20	**CP-SWR-RTEE-110X90-RF-D**

SWR Reducer
Standard IS 14735 · Code prefix CP-SWR-RED · 4 size rows

Size (mm)	Joint	Std. pack	Qty/box	Product code
110 x 75 mm	Self Fit	5	25	**CP-SWR-RED-110X75-SF**
110 x 75 mm	Ring Fit	5	25	**CP-SWR-RED-110X75-RF**
110 x 90 mm	Ring Fit	5	25	**CP-SWR-RED-110X90-RF**
90 x 75 mm	Ring Fit	4	40	**CP-SWR-RED-90X75-RF**

SWR Coupler
Standard IS 14735 · Code prefix CP-SWR-CPL · 5 size rows

Size (mm)	Joint	Std. pack	Qty/box	Product code
75 mm	Self Fit	10	100	**CP-SWR-CPL-75-SF**
110 mm	Self Fit	5	50	**CP-SWR-CPL-110-SF**
75 mm	Ring Fit	10	100	**CP-SWR-CPL-75-RF**
90 mm	Ring Fit	10	80	**CP-SWR-CPL-90-RF**
110 mm	Ring Fit	5	50	**CP-SWR-CPL-110-RF**

Traps
P, Q, S, nahani and multi floor traps for soil and waste lines.

SWR P Trap
Standard IS 14735 · Code prefix CP-SWR-PTRP · 4 size rows

Size (mm)	Door	Std. pack	Qty/box	Product code
110 mm	Plain	1	10	**CP-SWR-PTRP-110**
110 mm	With door	1	10	**CP-SWR-PTRP-110-D**
125 x 110 mm	Plain	1	10	**CP-SWR-PTRP-125X110**
125 x 110 mm	With door	1	10	**CP-SWR-PTRP-125X110-D**

Traps (continued)
P, Q, S, nahani and multi floor traps for soil and waste lines.

SWR Q Trap
Standard IS 14735 · Code prefix CP-SWR-QTRP · 4 size rows

Size (mm)	Door	Std. pack	Qty/box	Product code
110 mm	Plain	1	10	**CP-SWR-QTRP-110**
110 mm	With door	1	10	**CP-SWR-QTRP-110-D**
125 x 110 mm	Plain	1	10	**CP-SWR-QTRP-125X110**
125 x 110 mm	With door	1	10	**CP-SWR-QTRP-125X110-D**

SWR S Trap
Standard IS 14735 · Code prefix CP-SWR-STRP · 4 size rows

Size (mm)	Door	Std. pack	Qty/box	Product code
110 mm	Plain	1	10	**CP-SWR-STRP-110**
110 mm	With door	1	10	**CP-SWR-STRP-110-D**
110 x 75 mm	Plain	1	10	**CP-SWR-STRP-110X75**
110 x 75 mm	With door	1	10	**CP-SWR-STRP-110X75-D**

SWR Nahani Trap
Standard IS 14735 · Code prefix CP-SWR-NTRP · 3 size rows

Size (mm)	Std. pack	Qty/box	Product code
110 x 75 mm	1	10	**CP-SWR-NTRP-110X75**
110 x 90 mm	1	10	**CP-SWR-NTRP-110X90**
110 mm	1	10	**CP-SWR-NTRP-110**

SWR Multi Floor Trap
Standard IS 14735 · Code prefix CP-SWR-MFT · 2 size rows

Size (mm)	Height	Std. pack	Qty/box	Product code
110 x 75 mm	125 mm	1	10	**CP-SWR-MFT-110X75-H125**
110 x 75 mm	175 mm	1	10	**CP-SWR-MFT-110X75-H175**

Accessories
Clamps, solvent cements, lubricant and the parts that finish an installation.

SWR Vent Cowl
Standard IS 14735 · Code prefix CP-SWR-VCWL · 3 size rows

Size (mm)	Std. pack	Qty/box	Product code
75 mm	5	50	**CP-SWR-VCWL-75**
90 mm	4	40	**CP-SWR-VCWL-90**
110 mm	5	25	**CP-SWR-VCWL-110**

SWR Door Cap
Standard IS 14735 · Code prefix CP-SWR-DCAP · 3 size rows

Size (mm)	Std. pack	Qty/box	Product code
75 mm	5	50	**CP-SWR-DCAP-75**
90 mm	4	40	**CP-SWR-DCAP-90**
110 mm	5	25	**CP-SWR-DCAP-110**

SWR Back Flow Valve
Standard IS 14735 · Code prefix CP-SWR-BFV · 3 size rows

Size (mm)	Std. pack	Qty/box	Product code
75 mm	5	50	**CP-SWR-BFV-75**
90 mm	4	40	**CP-SWR-BFV-90**
110 mm	5	25	**CP-SWR-BFV-110**

Accessories (continued)

Clamps, solvent cements, lubricant and the parts that finish an installation.

SWR Sealing Ring

Standard IS 14735 · Code prefix CP-SWR-RING · 3 size rows

Size (mm)	Std. pack	Qty/box	Product code
75 mm	5	50	**CP-SWR-RING-75**
90 mm	4	40	**CP-SWR-RING-90**
110 mm	5	25	**CP-SWR-RING-110**

SWR Cleansing Pipe

Standard IS 14735 · Code prefix CP-SWR-CPIPE · 3 size rows

Size (mm)	Std. pack	Qty/box	Product code
75 mm	5	50	**CP-SWR-CPIPE-75**
90 mm	4	40	**CP-SWR-CPIPE-90**
110 mm	5	25	**CP-SWR-CPIPE-110**

SWR Round Jali

Standard IS 14735 · Code prefix CP-SWR-JALI · 2 size rows

Size (mm)	Std. pack	Qty/box	Product code
75 mm	5	50	**CP-SWR-JALI-75**
110 mm	5	25	**CP-SWR-JALI-110**

SWR Pipe Clip

Standard IS 13592 · Code prefix CP-SWR-PCLP · 7 size rows

Size (mm)	Std. pack	Qty/box	Product code
40 mm	50	500	**CP-SWR-PCLP-40**
50 mm	50	500	**CP-SWR-PCLP-50**
63 mm	50	500	**CP-SWR-PCLP-63**
75 mm	50	500	**CP-SWR-PCLP-75**
90 mm	50	500	**CP-SWR-PCLP-90**
110 mm	50	500	**CP-SWR-PCLP-110**
160 mm	50	500	**CP-SWR-PCLP-160**

SWR Rubber Lubricant

Standard not applicable · Code prefix CP-SWR-LUB · 2 size rows

Size	Std. pack	Qty/box	Product code
250 g	1	24	**CP-SWR-LUB-250G**
500 g	1	12	**CP-SWR-LUB-500G**

AGRICULTURE

Agriculture Plumbing System

IS 4985 · IS 7834

Agriculture pipes to IS 4985 and fittings to IS 7834, in 4 kg/cm² and 6 kg/cm² pressure classes, for irrigation, drip lines and agricultural water supply.

Size range

40 mm to 160 mm · 4 kg/cm² and 6 kg/cm²



Agriculture coupler

Product families in this system

Family	Products	Size rows
Pipes	2	14
Fittings	9	75
Accessories	1	4

Applications

Agriculture and irrigation · Drinking water distribution · Cable ducting · Ventilation lines

Standard pack and quantity per box are the current packing configuration and can be adjusted against a confirmed order.

Pipes
Pressure and drainage pipe across every size and length the system carries.

Agriculture Pipe 6 kg/cm²
Standard IS 4985 · Code prefix CP-AGRI-P6 · 8 size rows

Size (in)	Size (mm)	Length	Std. pack	Product code
1 1/4"	40 mm	6 m	10	**CP-AGRI-P6-40-6M**
1 1/2"	50 mm	6 m	10	**CP-AGRI-P6-50-6M**
2"	63 mm	6 m	5	**CP-AGRI-P6-63-6M**
2 1/2"	75 mm	6 m	5	**CP-AGRI-P6-75-6M**
3"	90 mm	6 m	1	**CP-AGRI-P6-90-6M**
4"	110 mm	6 m	1	**CP-AGRI-P6-110-6M**
5"	140 mm	6 m	1	**CP-AGRI-P6-140-6M**
6"	160 mm	6 m	1	**CP-AGRI-P6-160-6M**

Agriculture Pipe 4 kg/cm²
Standard IS 4985 · Code prefix CP-AGRI-P4 · 6 size rows

Size (in)	Size (mm)	Length	Std. pack	Product code
2"	63 mm	6 m	5	**CP-AGRI-P4-63-6M**
2 1/2"	75 mm	6 m	5	**CP-AGRI-P4-75-6M**
3"	90 mm	6 m	1	**CP-AGRI-P4-90-6M**
4"	110 mm	6 m	1	**CP-AGRI-P4-110-6M**
5"	140 mm	6 m	1	**CP-AGRI-P4-140-6M**
6"	160 mm	6 m	1	**CP-AGRI-P4-160-6M**

Fittings
Elbows, tees, couplers, bends, reducers and caps for the solvent weld range.

Agriculture Elbow 90°
Standard IS 7834 · Code prefix CP-AGRI-ELB90 · 12 size rows

Size (in)	Size (mm)	Grade	Std. pack	Qty/box	Product code
1 1/4"	40 mm	-	10	200	**CP-AGRI-ELB90-40**
1 1/2"	50 mm	-	10	150	**CP-AGRI-ELB90-50**
2"	63 mm	-	5	100	**CP-AGRI-ELB90-63**
2 1/2"	75 mm	-	5	60	**CP-AGRI-ELB90-75**
3"	90 mm	-	2	40	**CP-AGRI-ELB90-90**
4"	110 mm	-	5	25	**CP-AGRI-ELB90-110**
6"	160 mm	-	1	10	**CP-AGRI-ELB90-160**
2"	63 mm	Light weight	5	100	**CP-AGRI-ELB90-63-LW**
2 1/2"	75 mm	Light weight	5	60	**CP-AGRI-ELB90-75-LW**
3"	90 mm	Light weight	2	40	**CP-AGRI-ELB90-90-LW**
4"	110 mm	Light weight	5	25	**CP-AGRI-ELB90-110-LW**
6"	160 mm	Light weight	1	10	**CP-AGRI-ELB90-160-LW**

Agriculture Elbow 45°
Standard IS 7834 · Code prefix CP-AGRI-ELB45 · 7 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1 1/4"	40 mm	10	200	**CP-AGRI-ELB45-40**
1 1/2"	50 mm	10	150	**CP-AGRI-ELB45-50**
2"	63 mm	5	100	**CP-AGRI-ELB45-63**
2 1/2"	75 mm	5	60	**CP-AGRI-ELB45-75**
3"	90 mm	2	40	**CP-AGRI-ELB45-90**
4"	110 mm	5	25	**CP-AGRI-ELB45-110**
6"	160 mm	1	10	**CP-AGRI-ELB45-160**

Fittings (continued)

Elbows, tees, couplers, bends, reducers and caps for the solvent weld range.

Agriculture Tee

Standard IS 7834 · Code prefix CP-AGRI-TEE · 12 size rows

Size (in)	Size (mm)	Grade	Std. pack	Qty/box	Product code
1 1/4"	40 mm	-	10	200	**CP-AGRI-TEE-40**
1 1/2"	50 mm	-	10	150	**CP-AGRI-TEE-50**
2"	63 mm	-	5	100	**CP-AGRI-TEE-63**
2 1/2"	75 mm	-	5	60	**CP-AGRI-TEE-75**
3"	90 mm	-	2	40	**CP-AGRI-TEE-90**
4"	110 mm	-	5	25	**CP-AGRI-TEE-110**
6"	160 mm	-	1	10	**CP-AGRI-TEE-160**
2"	63 mm	Light weight	5	100	**CP-AGRI-TEE-63-LW**
2 1/2"	75 mm	Light weight	5	60	**CP-AGRI-TEE-75-LW**
3"	90 mm	Light weight	2	40	**CP-AGRI-TEE-90-LW**
4"	110 mm	Light weight	5	25	**CP-AGRI-TEE-110-LW**
6"	160 mm	Light weight	1	10	**CP-AGRI-TEE-160-LW**

Agriculture End Cap

Standard IS 7834 · Code prefix CP-AGRI-ECAP · 12 size rows

Size (in)	Size (mm)	Grade	Std. pack	Qty/box	Product code
1 1/4"	40 mm	-	10	200	**CP-AGRI-ECAP-40**
1 1/2"	50 mm	-	10	150	**CP-AGRI-ECAP-50**
2"	63 mm	-	5	100	**CP-AGRI-ECAP-63**
2 1/2"	75 mm	-	5	60	**CP-AGRI-ECAP-75**
3"	90 mm	-	2	40	**CP-AGRI-ECAP-90**
4"	110 mm	-	5	25	**CP-AGRI-ECAP-110**
6"	160 mm	-	1	10	**CP-AGRI-ECAP-160**
2"	63 mm	Light weight	5	100	**CP-AGRI-ECAP-63-LW**
2 1/2"	75 mm	Light weight	5	60	**CP-AGRI-ECAP-75-LW**
3"	90 mm	Light weight	2	40	**CP-AGRI-ECAP-90-LW**
4"	110 mm	Light weight	5	25	**CP-AGRI-ECAP-110-LW**
6"	160 mm	Light weight	1	10	**CP-AGRI-ECAP-160-LW**

Agriculture Coupler

Standard IS 7834 · Code prefix CP-AGRI-CPL · 12 size rows

Size (in)	Size (mm)	Grade	Std. pack	Qty/box	Product code
1 1/4"	40 mm	-	10	200	**CP-AGRI-CPL-40**
1 1/2"	50 mm	-	10	150	**CP-AGRI-CPL-50**
2"	63 mm	-	5	100	**CP-AGRI-CPL-63**
2 1/2"	75 mm	-	5	60	**CP-AGRI-CPL-75**
3"	90 mm	-	2	40	**CP-AGRI-CPL-90**
4"	110 mm	-	5	25	**CP-AGRI-CPL-110**
6"	160 mm	-	1	10	**CP-AGRI-CPL-160**
2"	63 mm	Light weight	5	100	**CP-AGRI-CPL-63-LW**
2 1/2"	75 mm	Light weight	5	60	**CP-AGRI-CPL-75-LW**
3"	90 mm	Light weight	2	40	**CP-AGRI-CPL-90-LW**
4"	110 mm	Light weight	5	25	**CP-AGRI-CPL-110-LW**
6"	160 mm	Light weight	1	10	**CP-AGRI-CPL-160-LW**

Fittings (continued)
Elbows, tees, couplers, bends, reducers and caps for the solvent weld range.

Agriculture Reducer Coupler
Standard IS 7834 · Code prefix CP-AGRI-RCPL · 5 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
2" x 1 1/2"	63 x 50 mm	5	100	**CP-AGRI-RCPL-63X50**
2 1/2" x 2"	75 x 63 mm	5	60	**CP-AGRI-RCPL-75X63**
3" x 2 1/2"	90 x 75 mm	2	40	**CP-AGRI-RCPL-90X75**
4" x 3"	110 x 90 mm	5	25	**CP-AGRI-RCPL-110X90**
6" x 4"	160 x 110 mm	1	10	**CP-AGRI-RCPL-160X110**

Agriculture Reducer Tee
Standard IS 7834 · Code prefix CP-AGRI-RTEE · 3 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
4" x 2 1/2"	110 x 75 mm	5	25	**CP-AGRI-RTEE-110X75**
4" x 3"	110 x 90 mm	5	25	**CP-AGRI-RTEE-110X90**
6" x 4"	160 x 110 mm	1	10	**CP-AGRI-RTEE-160X110**

Agriculture M.T.A.
Standard IS 7834 · Code prefix CP-AGRI-MTA · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1 1/4"	40 mm	10	200	**CP-AGRI-MTA-40**
1 1/2"	50 mm	10	150	**CP-AGRI-MTA-50**
2"	63 mm	5	100	**CP-AGRI-MTA-63**
2 1/2"	75 mm	5	60	**CP-AGRI-MTA-75**
3"	90 mm	2	40	**CP-AGRI-MTA-90**
4"	110 mm	5	25	**CP-AGRI-MTA-110**

Agriculture F.T.A.
Standard IS 7834 · Code prefix CP-AGRI-FTA · 6 size rows

Size (in)	Size (mm)	Std. pack	Qty/box	Product code
1 1/4"	40 mm	10	200	**CP-AGRI-FTA-40**
1 1/2"	50 mm	10	150	**CP-AGRI-FTA-50**
2"	63 mm	5	100	**CP-AGRI-FTA-63**
2 1/2"	75 mm	5	60	**CP-AGRI-FTA-75**
3"	90 mm	2	40	**CP-AGRI-FTA-90**
4"	110 mm	5	25	**CP-AGRI-FTA-110**

Accessories
Clamps, solvent cements, lubricant and the parts that finish an installation.

Agriculture PVC Solvent Cement
Standard not applicable · Code prefix CP-AGRI-SCEM · 4 size rows

Size	Std. pack	Qty/box	Product code
100 ml	1	100	**CP-AGRI-SCEM-100ML**
250 ml	1	48	**CP-AGRI-SCEM-250ML**
500 ml	1	24	**CP-AGRI-SCEM-500ML**
1000 ml	1	12	**CP-AGRI-SCEM-1000ML**

BUILT TO FLOW. BUILT TO LAST.

Talk to us about your requirement

Chanpolyplast supplies global trade partners with complete water systems from one source. Send the product codes and sizes from this catalogue with your quantities and destination, and we will reply with a quotation and packing details.

EMAIL
info@chanpolyplast.com

PHONE AND WHATSAPP
+91 97794 20619

WEBSITE
chanpolyplast.com

Ordering

Quote the product code exactly as printed in the size tables. Each code identifies one size line, including its variant where the family has one, so an order placed against codes needs no further clarification.

On pricing

No prices are published in this catalogue or on the website. Quotations are issued per enquiry against your own sizes, quantities and destination.

Certificates

Test certificates and standards documentation are issued with your confirmed order.

Product photographs show current production and are indicative of the range. Photography is used only where the rights record clears it for the size it is printed at.

Edition October 2026